

Hex wrench, long type

220/3L



Profiles



[\(/eng/about-us/materials\)](#)[\(/eng/support/warranty\)](#)

Product features

- material: premium chrome vanadium steel
- entirely hardened and tempered
- surface finish: nickel plated
- made according to standard ISO 2936 (only metric dimension)


Standards

ISO 2936 L




		L1	L2	
608510	1.5	91.5	15.5	1
608511	2	102	18	7
608512	2.5	114.5	20.5	10
608513	3	129	23	14
608514	4	144	29	22
608515	5	165	33	35

		L1	L2	
608516	6	186	38	55
608517	7	197	41	78
608518	8	208	44	105
608519	10	234	50	105
608520	12	262	57	105
608521	14	294	70	437
608522	17	337	80	753
608523	19	379	89	1026
616975	1/16"	92	16	6
616976	5/64"	102	18	7
616977	3/32"	114	20	10
616978	1/8"	129	23	14
616979	9/64"	140	26	22
616980	5/32"	144	29	22
616981	3/16"	165	33	35
616982	7/32"	176	36	55
616983	1/4"	186	38	55
616984	5/16"	208	44	105
616985	3/8"	234	50	105
616986	7/16"	261	53	105
616987	1/2"	293	63	105
616988	9/16"	294	69	437
616989	5/8"	336	76	753
616990	3/4"	379	89	1026



	MA	MB	MC	
608510	165	44	8,2	11
608511	180	44	8,2	12
608512	185	44	8,2	15
608513	200	44	8,2	19
608514	215	44	8,2	27
608515	230	44	20	40
608516	250	50	20	60
608517	260	50	20	83
608518	270	55	20	110
608519	270	55	20	110
608520	270	55	23	110
608521	360	80	25	444
608522	400	90	23	760
608523	440	100	22	1033
616975	165	44	8,2	11
616976	180	44	8,2	12
616977	185	44	8,2	15
616978	200	44	8,2	19
616979	215	44	8,2	27
616980	215	44	8,2	27
616981	230	44	20	40
616982	250	50	20	60
616983	250	50	20	60
616984	270	55	20	110
616985	270	55	20	110
616986	270	55	22,1	110
616987	270	55	23,7	110
616988	360	80	25,2	444
616989	400	90	19	760
616990	440	100	22	1033



Transport packaging

		TA	TB	TC	
608510	4	57	237	33	169
608511	4	57	237	33	173
608512	4	57	237	33	185
608513	4	57	237	33	201
608514	4	57	237	33	233
608515	4	70	297	44	285
608516	4	70	297	44	365
608517	4	70	297	44	457
608518	4	70	327	49	565
608519	4	70	327	49	565
608520	4	92	390	36	565
608521	4	114	388	47	1901
608522	1				
608523	1				
616975	4	57	237	33	169
616976	4	57	237	33	173
616977	4	57	237	33	185
616978	4	57	237	33	201
616979	4	57	237	33	233
616980	4	57	237	33	233
616981	4	70	297	44	285
616982	4	70	297	44	365
616983	4	70	297	44	365
616984	4	70	327	49	565
616985	4	70	327	49	565
616986	4	65	415	62	565
616987	4	65	415	62	565

		TA	TB	TC	
616988	4	114	388	47	1901
616989	1				
616990	1				